

Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Multifunctional spray combination spray nozzle E-COLL
- · Article number: 4317784636902
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use
- SU21 Consumer uses: Private households / general public / consumers
- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Application of the substance / the mixture Lubricant
- · 1.3 Details of the supplier of the safety data sheet

#### · Manufacturer/Supplier:

E/D/E - Einkaufsbuero Deutscher Eisenhaendler GmbH EDE Platz 1 D-42389 Wuppertal Germany

Tel. +49 202 6096-0 e-mail: sdb@ede.de

- Further information obtainable from: Product safety department
- 1.4 Emergency telephone number: Giftinformationszentrum Mainz Tel.: +49 (6131) 19240

#### **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

#### · Classification according to Regulation (EC) No 1272/2008

Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.

#### · 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



- · Signal word Danger
- **Hazard-determining components of labelling:** Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

#### Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 1)

#### · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated.

#### · Precautionary statements

- P101 If medical advice is needed, have product container or label at hand.
- P102 Keep out of reach of children.
- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P211 Do not spray on an open flame or other ignition source.
- P251 Do not pierce or burn, even after use.
- P271 Use only outdoors or in a well-ventilated area.
- P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

#### · Additional information:

EUH066 Repeated exposure may cause skin dryness or cracking. Buildup of explosive mixtures possible without sufficient ventilation.

#### · 2.3 Other hazards

# · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- · vPvB: Not applicable.

# **SECTION 3: Composition/information on ingredients**

#### · 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

# · Dangerous components:

· Dangerous components.				
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304	50-100%			
<ul> <li>2-butoxyethanol</li> <li>Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319</li> </ul>	2.5-5%			
carbon dioxide ♦ Press. Gas (Comp.), H280	1.0-2.5%			
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
	≥30%			
aromatic hydrocarbons				
	2% aromatics ♦ Asp. Tox. 1, H304 EUH066 2-butoxyethanol ♦ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit. 2, H315; Eye Irrit. 2, H319 carbon dioxide ♦ Press. Gas (Comp.), H280			

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)

FU -



Printing date 15.07.2021

Version number 301 (replaces version 1)

## Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 2)

## SECTION 4: First aid measures

- · 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- · After inhalation:

Supply fresh air. Seek medical treatment in case of complaints.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor.

#### · After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Rinse out mouth and then drink plenty of water. Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

#### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: CO2, powder or water spray. Fight larger fire with alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

#### · Additional information

Cool endangered receptacles with water spray. Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### **SECTION 6: Accidental release measures**

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: No special measures required.



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

# Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 3)

#### • 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

# • 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

# **SECTION 7: Handling and storage**

#### · 7.1 Precautions for safe handling

#### · Information about fire - and explosion protection:

Pressurised container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- **Requirements to be met by storerooms and receptacles:** Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Store in cool, dry conditions in well sealed receptacles.
- 7.3 Specific end use(s) No further relevant information available.

# **SECTION 8: Exposure controls/personal protection**

· 8.1 Control parameters

· Ingred	ients with limit values that require monitoring at the workplace:
	11-76-2 2-butoxyethanol
IOELV	Short-term value: 246 mg/m³, 50 ppm Long-term value: 98 mg/m³, 20 ppm Skin
CAS: 1	24-38-9 carbon dioxide
IOELV	Long-term value: 9000 mg/m <sup>3</sup> , 5000 ppm

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed.



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

## Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 4)

Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

#### · Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation - filter AX.

#### · Hand protection



Protective gloves

#### · Material of gloves

Nitrile rubber, NBR Recommended thickness of the material:  $\geq 0.4$  mm

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Recommendation: safety glasses with side protection shield

Body protection: Protective work clothing

#### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

General Information		
· Physical state	Aerosol	
· Colour:	Yellowish	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	-10 °C	
· Flammability	Not applicable.	
<ul> <li>Lower and upper explosion limit</li> </ul>		
· Lower:	Not determined.	
· Upper:	Not determined.	
· Flash point:	Not applicable, as aerosol.	
<ul> <li>Auto-ignition temperature:</li> </ul>	Product is not selfigniting.	
<ul> <li>Decomposition temperature:</li> </ul>	Not determined.	
· pH	Not determined.	
· Viscosity:		
<ul> <li>Kinematic viscosity</li> </ul>	Not determined.	
<ul> <li>Kinematic: 23 °C - 4 mm (ISO 2431)</li> </ul>		
· Dynamic:	Not determined.	
· Solubility		
· water:	Not miscible or difficult to mix.	
Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
		(Contd. on page 6)



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

# Trade name: Multifunctional spray combination spray nozzle E-COLL

	(Contd. of page 5)
Density and/or relative density	
· Density at 20 °C:	0.81 g/cm <sup>3</sup>
Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Aerosol
<ul> <li>Important information on protection of health</li> </ul>	
and environment, and on safety.	
<ul> <li>Ignition temperature:</li> </ul>	>200 °C
<ul> <li>Explosive properties:</li> </ul>	Not determined.
<ul> <li>Solvent separation test:</li> </ul>	
· Organic solvents:	72.3 %
· VOC (EC) g/l	592.5 g/l
· Change in condition	
<ul> <li>Softening point/range</li> </ul>	
<ul> <li>Oxidising properties</li> </ul>	Not determined.
<ul> <li>Evaporation rate</li> </ul>	Not applicable.
· Information with regard to physical hazard	
classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void
<ul> <li>Pyrophoric liquids</li> </ul>	Void
Pyrophoric solids	Void
<ul> <li>Self-heating substances and mixtures</li> </ul>	Void
· Substances and mixtures, which emit flammab	le
gases in contact with water	Void
<ul> <li>Oxidising liquids</li> </ul>	Void
· Oxidising solids	Void
<ul> <li>Organic peroxides</li> </ul>	Void
<ul> <li>Corrosive to metals</li> </ul>	Void
<ul> <li>Desensitised explosives</li> </ul>	Void

# **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- . .
- 10.3 Possibility of hazardous reactions No dangerous reactions known.



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

## Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 6)

- **10.4 Conditions to avoid** No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:			
Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics			
Oral	LD50	>15,000 mg/kg (rat) (OECD 401)	
Dermal	LD50	3,400 mg/kg (rat) (OECD 402)	
Inhalative	LC50/4h	13,100 ppm (rat) (OECD 403)	
CAS: 111-76-2 2-butoxyethanol			
Oral	LD50	1,480 mg/kg (rat)	
Dermal	LD50	400 mg/kg (rab)	

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard May be fatal if swallowed and enters airways.
- · 11.2 Information on other hazards
- Endocrine disrupting properties
- None of the ingredients is listed.

# **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity: No further relevant information available.

• 12.2 Persistence and degradability No further relevant information available.



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

## Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 7)

• **12.3 Bioaccumulative potential** No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

#### · 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

#### · vPvB: Not applicable.

· 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

#### · 12.7 Other adverse effects

· Remark: Toxic for fish

#### · Additional ecological information:

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Toxic for aquatic organisms

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods:

Containers can be recycled if completely empty; if not, dispose product/containers as dangerous waste. Observe local regulations.

· European	waste catalogue
15 01 04	metallic packaging
16 05 04*	gases in pressure containers (including halons) containing hazardous substances
HP3	Flammable

# **SECTION 14: Transport information**

#### · 14.1 UN number or ID number

- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · ADR
- · IMDG, IATA

UN1950 AEROSOLS AEROSOLS

(Contd. on page 9)

# UN1950



# Safety data sheet

according to 1907/2006/EC, Article 31 Printing date 15.07.2021 Version number 301 (replaces version 1) Revision: 15.07.2021 Trade name: Multifunctional spray combination spray nozzle E-COLL (Contd. of page 8) · 14.3 Transport hazard class(es) · ADR · Class 2 5F Gases. · Label 2.1 · IMDG, IATA · Class 2 Gases. · Label 2.1 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: Not applicable. 14.6 Special precautions for user Warning: Gases. · Hazard identification number (Kemler code): · EMS Number: F-D,S-U · Stowage Code SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity of 1 litre: Category A. For AEROSOLS with a capacity above 1 litre: Category B. For WASTE AEROSOLS: Category C, Clear of living quarters. Segregation Code SG69 For AEROSOLS with a maximum capacity of 1 litre: Segregation as for class 9. Stow "separated from" class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision of class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision of class 2. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. Transport/Additional information: · ADR · Limited quantities (LQ) 1L Code: E0 Excepted quantities (EQ)

· Transport category

(Contd. on page 10)

Not permitted as Excepted Quantity

2

---- EU ----



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

#### Trade name: Multifunctional spray combination spray nozzle E-COLL

· Tunnel restriction code	D	(Contd. of page 9)
<ul> <li>IMDG</li> <li>Limited quantities (LQ)</li> <li>Excepted quantities (EQ)</li> </ul>	1L Code: E0 Not permitted as Excepted Quantity	

**UN 1950 AEROSOLS, 2.1** 

· UN "Model Regulation":

# **SECTION 15: Regulatory information**

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I Methanol
- · Seveso category P3b FLAMMABLE AEROSOLS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t
- · REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3
- DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### · Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

#### · Verordnung (EU) Nr. 528/2012 - Verwendung von Biozidprodukten

· Information about limitation of use:

Employment restrictions concerning pregnant and lactating women must be observed.

#### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

- H280 Contains gas under pressure; may explode if heated.
- H302 Harmful if swallowed.
- H304 May be fatal if swallowed and enters airways.
- H312 Harmful in contact with skin.
- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H332 Harmful if inhaled.

EUH066 Repeated exposure may cause skin dryness or cracking.

Date of previous version: 14.05.2021



Printing date 15.07.2021

Version number 301 (replaces version 1)

Revision: 15.07.2021

#### Trade name: Multifunctional spray combination spray nozzle E-COLL

(Contd. of page 10)

#### · Version number of previous version: 1

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Aerosol 1: Aerosols – Category 1 Press. Gas (Comp.): Gases under pressure - Compressed gas Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

·\* Data compared to the previous version altered.

EU —