Δ Abgabe nur als ganze Verpackungseinheit möglich.

ISO-Gewindewendeschneidplatte, innen, 60° metrisch, Vollprofil









		art ide									
									format professional quality		
			Р	M	K	N	S	Н	VE	2969	Bestell-
ISO-Bezeichnung	Schneidstoffsorte	Schnittgeschw.	Stahl	Rostfrei	Guss	Alu	Superleg.	Hart		€	Nr.
11 NR 050	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0900
11 NR 075	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0903
11 NR 100	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0906
11 NL 100	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0908
11 NR 125	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0909
11 NR 150	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,80	0912
11 NL 150	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	17,80	0913
16 NR 050	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0915
16 NR 075	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0918
16 NR 100	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0921
16 NL 100	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0922
16 NR 125	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0924
16 NR 150	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0927
16 NL 150	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0928
16 NR 175	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0930
16 NR 200	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0933
16 NL 200	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0934
16 NR 250	U 9035	v _c m/min	135–165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	0936
16 NR 300	U 9035	v _c m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18.20	0939

ISO-Gewindewendeschneidplatten-Set, innen, 60° metrisch, Vollprofil





(W288)

format)

										professional quality	
	Schneid-	Schnitt-	Р	M	K	N	S	Н	Stück x Steigung	2969	Bestell-
ISO-Bezeichnung	stoffsorte	geschw.	Stahl	Rostfrei	Guss	Alu	Superleg.	Hart	mm	€	Nr.
11 IR	PK25	v _c m/min	100–150	-	90–125	-	-	-	2 x 0,5; 2 x 0,75; 2 x 1,0; 2 x 1,25; 2 x 1,5	112,00	1300
11 IL	PK25	v _c m/min	100–150	-	90–125	-	-	-	2 x 0,5; 2 x 0,75; 2 x 1,0; 2 x 1,25; 2 x 1,5	112,00	1305
16 IR	PK25	v _c m/min	100–150	-	90–125	-	-	-	2 x 0,75; 2 x 1,0; 2 x 1,25; 2 x 1,5; 2 x 1,75	112,00	1310
16 IL	PK25	v _c m/min	100–150	-	90–125	-	-	-	2 x 0,75; 2 x 1,0; 2 x 1,25; 2 x 1,5; 2 x 1,75	112,00	1315
										(W288)	

ISO-Gewindewendeschneidplatte, innen, 55° WW, Vollprofil





										format protessional quality	
			Р	M	K	N	S	Н	VE	2969	Bestell-
ISO-Bezeichnung	Schneidstoffsorte	Schnittgeschw.	Stahl	Rostfrei	Guss	Alu	Superleg.	Hart		€	Nr.
11 NR 140	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,80	2000
11 NR 190	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,80	2003
16 NR 100	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	19,20	2012
16 NR 110	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	18,20	2015
16 NR 140	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	19,20	2021
16 NR 160	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	19,20	2024
16 NR 190	U 9035	v₀ m/min	135-165	80-95	125-155	200-575	25-45	25-30	10 Δ	19,20	2027
Δ Abgabe nur als ganze Ve	Abgabe nur als ganze Verpackungseinheit möglich. (W									(W288)	